Claims

I claim:

.112 17 2 disease or condition

- 1. A method for the treatment of a disease or a condition which is treatable by inhibition of ornithine decarboxylase, which comprises administration of a therapeutically active or nithine decarboxylase-inhibiting amount of a salt of 2-difluoromethyl-2,5diaminopentanoic acid with chitosan.
- 2. A method for the prevention of a disease or a condition which is preventable by inhibition of ornithine decarboxylase, which comprises administration of a therapeutically active ornithine decarboxylase-inhibiting amount of a salt of 2-difluoromethyl-2,5diaminopentanoic acid with chitosan.
- 3. The method as defined by claim 1, wherein a salt of 2-difluoromethyl-2,5diaminopentanoic acid with chitosan is administered to treat a disease or condition selected from the group consisting of cancer, benign prostatic hypertrophy, protozoal in fections, actinic keratosis, and hirsutism.
- 4. The method as defined by claim 2, wherein a salt of 2-difluoromethyl-2,5diaminopentanoic acid with chitosan is administered to prevent a condition or disease selected from the group consisting of cancer, benign prostatic hypertrophy, HIV, prozoal infections, actinic keratosis, and hirsutism.
- 5. A method wherein a salt of 2-difluoromethyl-2,5-diaminopentanoic acid with chitosan is administered topically to prevent hair growth.